•		
	Application No.	Applicant(s)
	10/668,631	TAKEDA, YUKIHITO
Notice of Allowability	Examiner	Art Unit
	John B Nguyen	2819
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-8</u> .		
3. The drawings filed on 23 September 2003 are accepted by the Examiner.		
 4.		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.		
(a) The translation of the foreign language provisional application has been received.		
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 8. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No 		
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.		
(c) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1⊠ Notice of References Cited (PTO-892)		tent Application (PTO-152)
2 Notice of Draftperson's Patent Drawing Review (PTO-948)	•	PTO-413), Paper No
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No), 7☐ Examiner's Amendme	ent/Comment
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statement 9□ Other .	t of Reasons for Allowance
	SEJ Guioi .	

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-8 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

The prior art fails to show a decimation filter for use in A/D conversion, comprising a coefficient word length of a last-stage FIR filter is shorter than a coefficient word length which enables desirable attenuation in an inhibition zone of the last-stage FIR filter, such that there is caused a region where attenuation is insufficient in an inhibition region of the last-stage FIR filter; and an interpolation filter for use in D/A conversion comprising a coefficient word length of a first-stage FIR filter is shorter than coefficient word length which enables desirable attenuation in an inhibition zone of the first-stage FIR filter, such that there is caused a region where attenuation is insufficient in an inhibition region of the last-stage FIR filter as called for in claims 1 and 5. Therefore, claims 1-8 are allowed.

Conclusion

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/668,631 Page 3

Art Unit: 2819

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John B Nguyen whose telephone number is (571) 272-1808. The examiner can normally be reached on 8AM-4:30PM M-F.

John B. Nguyen January 22, 2004

Marian/Young